

8W Dimmable Selectable 4CCT IP65 recessed LED Spot Light 800Lm

Product codes:

Reference: IL-90884



Product features:

Power (W): 8

Power source (V): 220-240V

Color temperature CCT: Seleccionable 4CCT

2700K-3000K-4000K-6500K

LED: SMD2835 Dimmable: Sí, TRIAC

Luminous efficacy (Lm/W): 100

Brightness (Lm): 800

CRI: +85 Colour: White IP: IP65 IK: IK05

Luminous angle: 60° Frequency (Hz): 50-60Hz

Power factor: 0.5

Measures (mm): Ø85x58mm Medida de corte (mm.): Ø70mm

Material: Thermoplastic

Operating temperature: -20°C ~ +40°C

Energy efficiency 2021: A+ Energy efficiency 2023: F Lifespan: 35.000h Certification: CE - RoHS

Warranty: 3 años

Product attributes:

Color temperature CCT (°K): Selectable CCT (3000K-4000K-6000K)

Product description:

8W 4CCT IP65 recessed LED Downlight The 8W 4CCT IP65 LED Downlight is a highly versatile and durable lighting solution, ideal for installation in bathrooms, kitchens, outdoors, and other humid areas. This circular recessed downlight, in white, is made of fire-retardant thermoplastic and polycarbonate (PC), ensuring durability and safety in any environment.

Equipped with an 8W SMD2835 LED chip, this downlight offers a luminous flux of 800 lumens and an efficiency of 100Lm/W. Additionally, it features a selector tab on the back that allows you to choose from 4 different color temperatures:

- 2700K (Very warm)
- 3000K (Warm)
- 4000K (Neutral)
- 6500K (Cool)

This way, the downlight perfectly adapts to any area of use and ambiance, from a very warm tone to a very cool tone. Moreover, it is TRIAC dimmable, allowing you to adjust the lighting if you have a wall or push-button dimmer.



The concave recessed optics reduce glare and create a depth effect, providing comfortable and pleasant lighting.

Technical Specifications of the 8W 4CCT IP65 LED Downlight

• Power: 8W

LED Chip: SMD2835
Efficiency: 100Lm/W
Luminous Flux: 800Lm

• Color Temperature: Selectable 4CCT 2700K/3000K/4000K/6500K

• CRI (Ra): >85

Voltage: 220-240V 50/60Hz
Driver: Integrated CE standard
Material: Aluminum + PC
Finish: Matte white
Power Factor: >0.5

• Working Temperature: -20~+40°C

• **UGR**: 19

Dimming: TRIACIP Rating: IP65

• Light Direction: Fixed vertical

Luminous Angle: 60°
Installation: Recessed

• Shape: Circular

• Dimensions: Outer Ø85mm x 58mm depth

Ceiling Cut-Out: Ø70mm
Warranty: 3 years

• Certifications: CE - RoHS

Recommended Uses and Applications

The **8W 4CCT IP65 LED Downlight** is ideal for a wide variety of applications, thanks to its robust design and adjustable color temperature capabilities. Some of the most recommended uses include:

- Bathrooms: Perfect for illuminating bathroom areas where moisture resistance is crucial.
- Kitchens: Offers clear and adjustable lighting, ideal for work and food preparation areas.
- · Outdoor Areas: Ideal for porches, terraces, or entrances, providing water- and dust-resistant lighting.
- Humid Areas: Recommended for areas such as basements, garages, or laundries where moisture protection is necessary.
- Hallways: Suitable for providing uniform lighting in hallways and passageways.
- Vestibules: Perfect for illuminating entrances and reception areas with a modern and functional touch.

Product gallery:













