

30W Circular LED Ceiling Light 3000Lm IP44

Product codes:

Reference: LM8255



Product features:

Power (W): 30
 Power source (V): 175-260V
 Color temperature CCT: 4500K
 Color temperature CCT: 6000K
 LED: SMD2835
 Luminous efficacy (Lm/W): 100
 Brightness (Lm): 3000
 CRI: +80
 Colour: White
 IP: IP44
 IK: IK06
 Luminous angle: 120°
 Frequency (Hz): 50-60Hz
 Measures (mm): Ø300x50mm
 Material: Aluminum + PC
 Operating temperature: -20°C ~ +40°C
 Energy efficiency 2021: A+
 Lifespan: 30.000h
 Certification: CE - RoHS
 Warranty: 3 años

Product attributes:

Color temperature CCT (°K): Cool white 6000K, Natural white 4500K

Product description:

30W Circular LED Ceiling Light - 3000 Lumens with Opal Diffuser Powerful LED Lighting for Ceilings and Walls

The **30W Circular LED Ceiling Light** is a high-power luminaire designed to provide intense and uniform lighting, with a **luminous flux of 3000 lumens**. Made from high-quality materials such as **aluminum and polycarbonate (PC)**, this ceiling light stands out for its durability and excellent performance, making it ideal for any environment where bright and homogeneous lighting is required.

Compact Design with Opal Diffuser and Shadow-Free Lighting

The high-quality **opal diffuser** ensures uniform light distribution, eliminating shadows and creating soft, glare-free illumination. Its **120° beam angle** guarantees wide light coverage, making it perfect for efficiently lighting large spaces. With a compact and elegant design, this ceiling light integrates seamlessly into ceilings and walls without disrupting the aesthetics of the environment.

Resistant to Humid Environments with IP44 Protection

Thanks to its **IP44 rating**, the **30W LED Ceiling Light** is resistant to humidity and can be installed in humid environments

such as **bathrooms, kitchens, and covered outdoor areas**. This protection makes it a versatile and safe option for areas requiring a high-quality luminaire resistant to moisture and dust.

Technical Specifications of the 30W Circular LED Ceiling Light

- **Power:** 30W
- **Luminous Flux:** 3000 lumens
- **LED Type:** Integrated SMD
- **Beam Angle:** 120°
- **Material:** Aluminum + PC
- **Diffuser:** Opal
- **IP Rating:** IP44 (Resistant to humidity and dust)
- **Installation:** Surface-mounted on ceiling or wall
- **Dimensions:** Ø300x50mm
- **Lifespan:** 35,000 hours
- **Certifications:** CE, RoHS
- **Warranty:** 3 years

Advantages of the 30W Circular LED Ceiling Light

- **High Luminous Performance:** Powerful 3000-lumen output for uniform and shadow-free lighting.
- **Compact and Modern Design:** Perfect integration into any environment without disrupting the aesthetics of the space.
- **Easy Installation:** Includes all necessary accessories for quick installation on ceilings or walls.
- **Resistant to Humid Environments:** IP44 protection for use in bathrooms, kitchens, and covered outdoor areas.
- **Long Lifespan:** Up to 35,000 hours of lifespan, ensuring long-lasting and reliable lighting.

Recommended Uses and Applications

The **30W Circular LED Ceiling Light** is perfect for illuminating both **indoor spaces** and **covered outdoor areas**, providing powerful and homogeneous light for various applications:

- **Living Rooms and Dining Rooms:** Provides uniform and pleasant lighting for social environments.
- **Bathrooms and Kitchens:** Ideal for environments requiring moisture resistance.
- **Work Areas:** Offers clear and bright light for tasks that require high visibility.
- **Hallways and Entrances:** Effectively illuminates these spaces with soft, glare-free light.
- **Covered Outdoor Areas:** Suitable for porches, terraces, or covered areas where durable and resistant lighting is needed.

Product gallery:

