


LOLA White Pendant LED Linear Light 50cm

Product codes:

Reference: 17013-05-BL



Product features:

Power (W): 20

Power source (V): 220-240V Color temperature CCT: 2700K Color temperature CCT: 4000K Color temperature CCT: 6000K

LED: SMD3040

Luminous efficacy (Lm/W): 110

Brightness (Lm): 2200

CRI: +82 Colour: White IP: IP20

Luminous angle: 60° Frequency (Hz): 50-60Hz Power factor: 0.90

Measures (mm): 500x88x40mm

Material: Aluminum + PC

Operating temperature: -20°C ~ +55°C

Energy efficiency 2021: A+ Energy efficiency 2023: C Lifespan: 50.000h Certification: CE - RoHS

Warranty: 5 años

Product attributes:

Color temperature CCT (°K): Warm white 2700K, Natural white 4000K, Cool white 6000K Dimming system: No dimming (On/Off), TRIAC, DALI

Product description:

DESIGN LOLA Pendant LED Linear Light - 50cm

The production time for this lamp is approximately 5-7 business days

Minimalist Design and High Performance

The DESIGN LOLA Pendant LED Linear Light is a professional lighting solution, manufactured in Spain, designed to provide efficient and high-quality illumination in demanding environments. With a matte white lacquered aluminum profile and a modern design, this luminaire is ideal for spaces requiring elegant and functional lighting.

Equipped with SMD3040 LEDs, it delivers exceptional performance of 110Lm/W, emitting a luminous flux of 2200 lumens with a low energy consumption of only 20W. Perfect for intensive use of up to 24h, this luminaire ensures durability and reliability in any setting.

Visual Comfort and Efficiency



The design of the **DESIGN LOLA Linear Light** features a **microprismatic diffuser** that reduces glare to **UGR19**, providing uniform and pleasant illumination for workspaces, studios, and offices. This design prevents visual fatigue, enhancing comfort and productivity.

Easy Installation and Direct Connection

The luminaire includes an **adjustable suspension kit** up to 2 meters long, allowing it to be hung from ceilings and the height to be adjusted according to the space requirements. Electrical connection is made directly to **230V** using the supplied cable, enabling quick and safe installation.

Technical Specifications

Power Consumption: 20WLuminous Flux: 2200 lumens

Efficiency: 110Lm/WLED Type: SMD3040Glare Index: UGR19

• Material: Matte white lacquered aluminum

Diffuser: MicroprismaticDimensions: 500x88x40mm

• Installation: Pendant with adjustable suspension kit up to 2m

• Connection: Direct to 230V

• Usage: Indoor, designed for intensive use up to 24h

• Warranty: 5 years

Product Advantages

- High Efficiency: 160Lm/W luminous performance with low energy consumption.
- Professional Design: Made in Spain with high-quality materials.
- Visual Comfort: Microprismatic diffuser reduces glare.
- Versatility: Ideal for offices, studios, coworking spaces, and commercial areas.
- Easy Installation: Includes adjustable suspension kit and direct connection to 230V.

Uses and Applications

The **DESIGN LOLA LED Linear Light** is ideal for various environments requiring efficient lighting and an attractive design:

- Offices and Coworking Spaces: Provides uniform and comfortable lighting.
- Studios and Workshops: Perfect for tasks requiring visual precision.
- Commercial Spaces: Combines elegance and functionality.
- Classrooms and Libraries: Enhances visual comfort in educational environments.
- Homes: Ideal for workspaces and home studies.

Product gallery:









