

LOLA Black Pendant LED Linear Light 200cm

Product codes:

Reference: 17014-2-NG



Product features:

Power (W): 80

Power source (V): 85-265V Color temperature CCT: 2700K Color temperature CCT: 4000K Color temperature CCT: 6000K

LED: SMD3040

Luminous efficacy (Lm/W): 110

Brightness (Lm): 8800

CRI: +82 Colour: Black IP: IP20

Luminous angle: 60° Frequency (Hz): 50-60Hz Power factor: 0.97

Measures (mm): 2000x88x40mm

Material: Aluminum + PC

Operating temperature: -20°C ~ +55°C

Energy efficiency 2021: A+ Energy efficiency 2023: C Lifespan: 50.000h Certification: CE - RoHS

Warranty: 5 años

Product attributes:

Color temperature CCT (°K): Warm white 2700K, Natural white 4000K, Cool white 6000K Dimming system: No dimming (On/Off), TRIAC, DALI

Product description:

DESIGN LOLA Linear LED Pendant Light - 200cm

Production time for this lamp is approximately 5-7 working days

Minimalist Design and High Performance

The DESIGN LOLA Linear LED Pendant Light is a professional lighting solution, made in Spain, designed to deliver efficient, high-quality lighting in demanding environments. Featuring a black matte lacquered aluminium profile and a modern design, it is ideal for spaces that require elegant and functional lighting.

Equipped with SMD3040 LED chips, it delivers an outstanding performance of 110Lm/W, producing a luminous flux of 8800 lumens while consuming only 80W. Perfect for intensive use up to 24 hours, this pendant ensures durability and reliability in any setting.

Visual Comfort and Efficiency



The **DESIGN LOLA Linear Light** incorporates a **microprismatic diffuser** that reduces glare index to **UGR19**, providing uniform and pleasant lighting for workspaces, studios, and offices. This design prevents eye strain, enhancing comfort and productivity.

Easy Installation and Connection

The pendant comes with an **adjustable suspension kit** of up to 2 meters, allowing ceiling mounting and height adjustment as needed. Electrical connection is made directly to **230V** using the supplied cable, ensuring quick and safe installation.

Technical Specifications

Power Consumption: 80WLuminous Flux: 8800 lumens

Efficacy: 110Lm/WLED Chip: SMD3040Glare Index: UGR19

• Material: Black matte lacquered aluminium

Diffuser: MicroprismaticDimensions: 2000x88x40mm

• Installation: Pendant with adjustable kit up to 2m

• Connection: Direct to 230V

• Use: Indoor, designed for intensive use up to 24h

• Warranty: 5 years

Product Advantages

- **High efficiency:** 110Lm/W luminous output for low energy consumption.
- Professional design: Made in Spain with high-quality materials.
- Visual comfort: Microprismatic diffuser reduces glare.
- Versatility: Ideal for offices, studios, coworking spaces, and commercial areas.
- Easy installation: Includes adjustable suspension kit and direct 230V connection.

Uses and Applications

The **DESIGN LOLA Linear LED Pendant** is perfect for a variety of environments requiring efficient and stylish lighting:

- Offices and Coworking Spaces: Provides uniform and comfortable lighting.
- Studios and Workshops: Perfect for tasks requiring visual precision.
- Commercial Spaces: Combines elegance and functionality.
- Classrooms and Libraries: Enhances visual comfort in educational settings.
- Homes: Ideal for work areas and home offices.

Product gallery:







