

## LOLA Black Pendant LED Linear Light 200cm

### Product codes:

Reference: 17014-2-NG



### Product features:

Power (W): 80  
Power source (V): 85-265V  
Color temperature CCT: 6000K  
Color temperature CCT: 2700K  
Color temperature CCT: 4000K  
LED: SMD3040  
Luminous efficacy (Lm/W): 110  
Brightness (Lm): 8800  
CRI: +82  
Colour: Black  
IP: IP20  
Luminous angle: 60°  
Frequency (Hz): 50-60Hz  
Power factor: 0.97  
Measures (mm): 2000x88x40mm  
Material: Aluminum + PC  
Operating temperature: -20°C ~ +55°C  
Energy efficiency 2021: A+  
Energy efficiency 2023: C  
Lifespan: 50.000h  
Certification: CE - RoHS  
Warranty: 5 años

### Product attributes:

Color temperature CCT (°K): Warm white 2700K, Natural white 4000K, Cool white 6000K

Dimming system: No dimming (On/Off), TRIAC, DALI

### Product description:

DESIGN LOLA Linear LED Pendant Light - 200cm

**Production time for this lamp is approximately 5-7 working days**

Minimalist Design and High Performance

The **DESIGN LOLA Linear LED Pendant Light** is a professional lighting solution, made in Spain, designed to deliver efficient, high-quality lighting in demanding environments. Featuring a **black matte lacquered aluminium profile** and a modern design, it is ideal for spaces that require elegant and functional lighting.

Equipped with **SMD3040 LED chips**, it delivers an outstanding performance of **110Lm/W**, producing a luminous flux of **8800 lumens** while consuming only **80W**. Perfect for intensive use up to 24 hours, this pendant ensures durability and reliability in any setting.

Visual Comfort and Efficiency

The **DESIGN LOLA Linear Light** incorporates a **microprismatic diffuser** that reduces glare index to **UGR19**, providing uniform and pleasant lighting for workspaces, studios, and offices. This design prevents eye strain, enhancing comfort and productivity.

#### Easy Installation and Connection

The pendant comes with an **adjustable suspension kit** of up to 2 meters, allowing ceiling mounting and height adjustment as needed. Electrical connection is made directly to **230V** using the supplied cable, ensuring quick and safe installation.

#### Technical Specifications

- **Power Consumption:** 80W
- **Luminous Flux:** 8800 lumens
- **Efficacy:** 110Lm/W
- **LED Chip:** SMD3040
- **Glare Index:** UGR19
- **Material:** Black matte lacquered aluminium
- **Diffuser:** Microprismatic
- **Dimensions:** 2000x88x40mm
- **Installation:** Pendant with adjustable kit up to 2m
- **Connection:** Direct to 230V
- **Use:** Indoor, designed for intensive use up to 24h
- **Warranty:** 5 years

#### Product Advantages

- **High efficiency:** 110Lm/W luminous output for low energy consumption.
- **Professional design:** Made in Spain with high-quality materials.
- **Visual comfort:** Microprismatic diffuser reduces glare.
- **Versatility:** Ideal for offices, studios, coworking spaces, and commercial areas.
- **Easy installation:** Includes adjustable suspension kit and direct 230V connection.

#### Uses and Applications

The **DESIGN LOLA Linear LED Pendant** is perfect for a variety of environments requiring efficient and stylish lighting:

- **Offices and Coworking Spaces:** Provides uniform and comfortable lighting.
- **Studios and Workshops:** Perfect for tasks requiring visual precision.
- **Commercial Spaces:** Combines elegance and functionality.
- **Classrooms and Libraries:** Enhances visual comfort in educational settings.
- **Homes:** Ideal for work areas and home offices.

#### Product gallery:

