

## LOLA Stone Pendant LED Linear Light 100cm

### Product codes:

Reference: 17017-1-GR



### Product features:

Power (W): 40  
Power source (V): 85-265V  
Color temperature CCT: 2700K  
Color temperature CCT: 4000K  
Color temperature CCT: 6000K  
LED: SMD3040  
Luminous efficacy (Lm/W): 110  
Brightness (Lm): 4400  
CRI: +82  
Colour: Grey  
IP: IP20  
Luminous angle: 60°  
Frequency (Hz): 50-60Hz  
Power factor: 0.97  
Measures (mm): 1000x88x40mm  
Material: Aluminum + PC  
Operating temperature: -20°C ~ +55°C  
Energy efficiency 2021: A+  
Energy efficiency 2023: C  
Lifespan: 50.000h  
Certification: CE - RoHS  
Warranty: 5 años

### Product attributes:

Color temperature CCT (°K): Warm white 2700K, Natural white 4000K, Cool white 6000K  
Dimming system: No dimming (On/Off), TRIAC, DALI

### Product description:

DESIGN LOLA Pendant LED Linear Light - 100cm

**Production time for this lamp is approximately 5-7 working days**

Minimalist Design and High Performance

The **DESIGN LOLA Pendant LED Linear Light** is a professional lighting solution made in Spain, designed to provide efficient and high-quality illumination for demanding environments. Featuring a **RAL 7030 matte lacquered aluminum profile** and modern design, this luminaire is perfect for spaces requiring elegant and functional lighting.

Equipped with **SMD3040 LED chips**, it delivers exceptional performance of **110Lm/W**, emitting a luminous flux of **4400 lumens** with a reduced energy consumption of only **40W**. Ideal for intensive use of up to 24 hours, this luminaire ensures durability and reliability in any setting.

Visual Comfort and Efficiency

The **DESIGN LOLA Linear Light** features a **microprismatic diffuser**, reducing glare to **UGR19**, providing uniform and pleasant illumination for offices, studios, and workspaces. This design prevents visual fatigue, enhancing comfort and productivity.

#### Easy Installation and Connection

This luminaire includes an **adjustable suspension kit** up to 2 meters long, allowing it to be hung from ceilings and the height adjusted to suit the space's needs. Electrical connection is made directly to **230V** via the supplied cable, ensuring quick and safe installation.

#### Technical Specifications

- **Power Consumption:** 40W
- **Luminous Flux:** 4400 lumens
- **Efficiency:** 110Lm/W
- **LED Chip:** SMD3040
- **Glare Index:** UGR19
- **Material:** RAL 7030 matte lacquered aluminum
- **Diffuser:** Microprismatic
- **Dimensions:** 1000x88x40mm
- **Installation:** Suspended with adjustable kit up to 2m
- **Connection:** Direct to 230V
- **Usage:** Indoor, designed for intensive use up to 24h
- **Warranty:** 5 years

#### Product Advantages

- **High Efficiency:** 160Lm/W luminous output for reduced energy consumption.
- **Professional Design:** Made in Spain with high-quality materials.
- **Visual Comfort:** Microprismatic diffuser reducing glare.
- **Versatility:** Ideal for offices, studios, coworking spaces, and commercial areas.
- **Easy Installation:** Includes adjustable suspension kit and direct connection to 230V.

#### Applications and Uses

The **DESIGN LOLA Pendant LED Linear Light** is ideal for various environments requiring efficient lighting and an attractive design:

- **Offices and Coworking Spaces:** Provides uniform and comfortable lighting.
- **Studios and Workshops:** Perfect for tasks requiring visual precision.
- **Commercial Spaces:** Combines elegance and functionality.
- **Classrooms and Libraries:** Enhances visual comfort in educational settings.
- **Homes:** Perfect for home workspaces and offices.

#### Product gallery:

