

MOON 360 9W Selectable CCT Adjustable LED Downlight 760Lm Black

Product codes:

Reference: DLR-9N



Product features:

Power (W): 9

Power source (V): 220-240V

Color temperature CCT: Seleccionable

3000K-4000K-6000K LED: SMD2835 Brightness (Lm): 765

CRI: +80 Colour: Black IP: IP40 IK: IK08

Luminous angle: 60° Frequency (Hz): 50-60Hz Power factor: 0.5

Measures (mm): 125x36mm Material: Aluminum + PC

Operating temperature: -20°C ~ +40°C

Energy efficiency 2021: A+ Energy efficiency 2023: G Lifespan: 30.000h Certification: CE - RoHS Warranty: 5 años

Product attributes:

Color temperature CCT (°K): Selectable CCT (3000K-4000K-6000K)

Product description:

MOON 360 9W CCT 765Lm Adjustable LED Downlight Black The **MOON 360 9W CCT Adjustable LED Downlight** is a recessed lighting solution, perfect for those seeking both functionality and style in one product. With a **360° adjustable head**, it allows you to direct the light in any direction, adapting to the needs of each space.

Equipped with a **9W integrated LED**, the downlight offers a **luminous flux of 765 lumens** with a 60° beam angle, providing focused light ideal for highlighting details or creating cozy atmospheres. Additionally, it features a switch for **CCT color selection**, allowing you to choose between **warm white 3000K**, **neutral white 4000K**, and **cool white 6000K** in a single fixture.

Quality and Durability

The **MOON 360 downlight** is made of high-quality **aluminum** and lacquered in **black**, giving it a modern and elegant appearance, as well as ensuring its durability. Installation is simple and requires no additional tools, making it easy to mount on interior ceilings.

With an **IP40 rating**, it is suitable for indoor use, making it ideal for living rooms, bedrooms, offices, and other spaces where quality lighting is needed.



Technical Specifications of the MOON 360 9W CCT LED Downlight

• Power: 9W

• Luminous Flux: 765 lumens

• Beam Angle: 60°

• Color Selection: CCT (3000K / 4000K / 6000K)

• Material: Black lacquered aluminum

Dimensions: 125x36mm
Ceiling Cut-Out: 90mm
IP Rating: IP40 (Indoor use)
Orientation: 360° adjustable head

• Warranty: 5 years

Recommended Uses and Applications

- · Living Rooms and Dining Areas: Ideal for creating cozy atmospheres and highlighting decorative elements.
- Offices: Provides suitable lighting for workspaces, with the flexibility to direct light as needed.
- Bedrooms: Perfect for ceiling installation, directing light towards specific areas such as nightstands or reading nooks.
- Hallways and Corridors: Offers efficient and adjustable lighting for passage areas.
- Shops and Exhibitions: Excellent for highlighting products or items in display cases and storefronts.

Product gallery:







