1W White Recessed MINI LED spotlight OSRAM Chip 15º

Product codes:

Reference: MT30



Product features:

Power (W): 1
Power source (V): 220-240V
Color temperature CCT: 3000K
Color temperature CCT: 4000K
LED: COB
LED chip brand: OSRAM
Brightness (Lm): 60
Color rendering index (Ra):: ?90
Colour: White
IP: IP20
IK: IK06
Luminous angle: 15º
Frequency (Hz): 50-60Hz
Measures (mm): ø40x28mm
Medida de corte (mm.): Ø32mm
Material: Aluminum + PC
Operating temperature: -20ºC ~ +40ºC
Energy efficiency 2021: A+
Energy efficiency 2023: F
Lifespan: 30.000h
Certification: CE - RoHS
Warranty: 3 años

Product attributes:

Color temperature CCT (ºK): Warm white 3000K, Natural white 4000K

Product description:

White mini recessed spot, OSRAM chip, 15º beam Mini Recessed LED Spot 1W OSRAM Chip 15º 110 lm white

The with an chip offers with a narrow beam, ideal for decorative and accent lighting. Compact white aluminium design, recessed, IP20 rating.

? 1W? 110 lm? 15º? OSRAM

1W
Power110 lm
Luminous flux15º

Beam15º
Beam

The **1W MINI recessed LED downlight spot** is an ideal decorative, mood lighting solution, with a compact design and a quality **OSRAM** LED chip. With a luminous flux of **110 lumens**, it offers excellent performance despite its low consumption.

Its narrow **15º** beam creates precise accent effects, ideal for highlighting objects, niches, corridors or stairs. Made of white aluminium, it recesses easily and discreetly (IP20), for elegant spot lighting in living rooms, shops, hotels and galleries.

Why choose this product? **? OSRAM chip**
110 lm for 1W, quality and low consumption. **? 15º beam**
Precise accent lighting, highlighting objects. **? White aluminium**
Compact mini design, recessed and discreet (IP20). Technical specifications Product typeMini recessed LED spotPower1WLuminous flux110 lmLED chipOSRAMBeam15ºColourwhiteProtectionIP20UseIndoor (recessed) Advantages

- **OSRAM chip:** 110 lm, quality.
- **15º beam:** precise accent lighting.
- **White aluminium:** compact mini design.
- **Recessed:** discreet (IP20).
- **1W:** low consumption.

Recommended applications ?**Niches and objects** — highlighting.?**Corridors and stairs** — accent lighting.?**Shops and galleries** — precise beam.?**Living rooms and hotels** — decorative atmosphere. Installation guide 1**Switch off the power**
Cut the supply before installation.2**Prepare the cut-out**
Make a small cut-out in the ceiling.3**Recess the mini spot**
Insert the spot into the cut-out.4**Wire and check**
Wire and check the accent lighting. Frequently asked questions **Which LED chip does it use?**
A quality OSRAM chip. **What is its beam?**
Narrow, 15º, for precise accent lighting. **What is its luminous flux?**
110 lumens for 1W. ?

1W
110 lm?

15º
OSRAM?

white
Mini?

In stock
Fast shipping

Product gallery:


OSRAM
LEDs
Included
130
Lm/W
OSRAM
Duris E SMD2835















