# 1W Black Recessed MINI LED spotlight OSRAM Chip 15º

## Product codes:

Reference: MT35



## Product features:

Power (W): 1
Power source (V): 85-265V
Color temperature CCT: 3000K
Color temperature CCT: 4000K
LED: COB
LED chip brand: OSRAM
Brightness (Lm): 60
Color rendering index (Ra):: ?90
Colour: Black
IP: IP20
IK: IK06
Luminous angle: 15º
Frequency (Hz): 50-60Hz
Measures (mm): ø40x28mm
Medida de corte (mm.): Ø35mm
Material: Aluminum + PC
Operating temperature: -20ºC ~ +40ºC
Energy efficiency 2021: A+
Energy efficiency 2023: F
Lifespan: 30.000h
Certification: CE - RoHS
Warranty: 3 años

## Product attributes:

Color temperature CCT (ºK): Natural white 4000K, Warm white 3000K

## Product description:

Black mini recessed spot, OSRAM chip, 15º beam Mini Recessed LED Spot 1W OSRAM Chip 15º 110 lm black

The with an chip offers with a narrow beam, ideal for decorative and accent lighting. Compact black aluminium design, recessed, IP20 rating.

? 1W? 110 lm? 15º? OSRAM

1W
Power110 lm
Luminous flux15º

Beam15º
Beam

The **1W MINI recessed LED downlight spot** is an ideal decorative, mood lighting solution, with a compact design and a quality **OSRAM** LED chip. With a luminous flux of **110 lumens**, it offers excellent performance despite its low consumption.

Its narrow **15º** beam creates precise accent effects, ideal for highlighting objects, niches, corridors or stairs. Made of black aluminium, it recesses easily and discreetly (IP20), for elegant spot lighting in living rooms, shops, hotels and galleries.

Why choose this product? **? OSRAM chip**

110 lm for 1W, quality and low consumption. **? 15º beam**

Precise accent lighting, highlighting objects. **? Black aluminium**

Compact mini design, recessed and discreet (IP20). Technical specifications Product typeMini recessed LED spotPower1WLuminous flux110 lmLED chipOSRAMBeam15ºColourblackProtectionIP20UseIndoor (recessed) Advantages

- **OSRAM chip:** 110 lm, quality.
- **15º beam:** precise accent lighting.
- **Black aluminium:** compact mini design.
- **Recessed:** discreet (IP20).
- **1W:** low consumption.

Recommended applications ?**Niches and objects** — highlighting.?**Corridors and stairs** — accent lighting.?**Shops and galleries** — precise beam.?**Living rooms and hotels** — decorative atmosphere. Installation guide 1**Switch off the power**
Cut the supply before installation.2**Prepare the cut-out**
Make a small cut-out in the ceiling.3**Recess the mini spot**
Insert the spot into the cut-out.4**Wire and check**

Wire and check the accent lighting. Frequently asked questions **Which LED chip does it use?**

A quality OSRAM chip. **What is its beam?**

Narrow, 15º, for precise accent lighting. **What is its luminous flux?**
110 lumens for 1W. ?

## 1W
110 lm?

## 15º
OSRAM?

## black
Mini?

## In stock
Fast shipping

### Product gallery:


OSRAM
LEDs
Included
130
Lm/W
OSRAM
Duris E SMD2835

















