Wall Light LED VALLA 12W UP&DOWN IP54

Product codes:

Reference: LD-VALLA12W-40



Product features:

Power (W): 8
Power source (V): 220-240V
Color temperature CCT: 4000K
LED: SMD2835
Brightness (Lm): 640
Color rendering index (Ra):: ?80
Colour: Black
IP: IP54
IK: IK08
Luminous angle: 120º
Frequency (Hz): 50-60Hz
Measures (mm): 116x115x30mm
Material: Aluminum + PC
Operating temperature: -20ºC ~ +35ºC
Energy efficiency 2023: F
Lifespan: 40.000h
Certification: CE - RoHS
Warranty: 3 años

Product attributes:

Product description:

VALLA Up&Down black LED wall light, 4000K, IP54 VALLA LED Wall Light 12W Up&Down 960 lm 4000K Black IP54 Aluminium and PC

The in black-lacquered aluminium and PC offers in neutral white with lighting (upward and downward). Integrated LED, rating, 116x175x30 mm.

? 12W? 960 lm? Up & Down? IP54

12W
Power960 lm
Luminous flux4000K

Neutral whiteIP54
Protection

The **VALLA LED wall light**, in excellent-quality black-lacquered aluminium and PC, has a built-in **12W** LED with a luminous flux of **960 lumens** in **4000K** neutral white. Its dual **Up & Down** lighting projects light upward and downward, creating a beautiful decorative effect on the facade or wall.

It is easily wall-mounted thanks to the supplied accessories. With an **IP54** protection rating, it resists dust and water splashes, ideal for facades, entrances, terraces, corridors and stairs, indoors and outdoors. Dimensions 116x175x30 mm.

Why choose this product? **? Up & Down lighting**

Upward and downward beams, decorative effect. **? 12W, 960 lm, 4000K**

Integrated LED, neutral white, functional lighting. **? IP54, aluminium and PC**

Black, indoor and outdoor, easy fixing. Technical specifications Product typeVALLA Up&Down LED wall lightPower12WLuminous flux960 lmColour temperature4000K (neutral white)LightingUp & DownMaterialBlack-lacquered aluminium and PCProtectionIP54Dimensions116x175x30 mmUseIndoor and outdoor Advantages

- **Up & Down:** upward and downward beams.
- **12W, 960 lm, 4000K:** neutral white.
- **Integrated LED:** black aluminium and PC.
- **IP54:** indoor and outdoor.
- **Easy fixing:** accessories supplied.
- **116x175x30 mm:** compact design.

Recommended applications ?**Facades and entrances** — Up & Down effect.?**Terraces and patios** — IP54 outdoor.?**Corridors and stairs** — modern design.?**Living rooms** — play of shadows. Installation guide 1**Switch off the power**
Cut the supply before installation.2**Fix to the wall**
Fix the VALLA light with the supplied accessories.3**Wire it**
Wire it to the 230V mains.4**Check**

Check the Up & Down effect and the IP54 sealing. Frequently asked questions **What effect does it produce?**

A dual Up & Down lighting, upward and downward. **Is the LED included?**

Yes, a built-in 12W 4000K LED (960 lm). **Is it suitable for outdoors?**
Yes, its IP54 rating allows it. ?

12W
960 lm?

Up&Down
4000K?

IP54
Black?


In stock
Fast shipping

Product gallery:








30
175
116