X-Shaped Cable Connector 3x2.5mm² IP68

Product codes:

Reference: 2493

Product features:

IP: IP68
Frequency (Hz): 50-60Hz
Measures (mm): 98*98*23mm
Material: ABS
Certification: CE - RoHS
Warranty: 3 años



Product attributes:

Product description:

IP68 waterproof cable connector X-shaped Waterproof Cable Connector IP68 - 3x2.5 mm²

Make cross cable branches hermetically and compactly, indoors and outdoors. This nylon connector with copper contacts takes 3x2.5 mm² and protects against dust and water immersion.

? IP68? 3x2.5 mm²? X-shaped? Nylon + copper

IP68
Protection3x2.5 mm²
CablesX-shaped
Type

The **X-shaped IP68 cable connector** provides safe, hermetic connections for **3x2.5 mm²** wiring. Its compact **98x98x23 mm** design makes it ideal for installations where space is limited, distributing power in four directions from a single point.

Perfect for indoor and outdoor use, this connector ensures protection against dust and water thanks to its **IP68** rating. Made from **nylon** (body) with **internal copper contacts** and a threaded-screw closure, it ensures optimal conductivity and great durability.

Why choose this product? **? IP68 sealing**

Protected against dust and water immersion. **? Cross branch**

Distributes power in four directions from one point. **? Compact**
Small 98x98x23 mm format for limited spaces. Technical specifications Product typeWaterproof cable connectorJoint typeX-shapedProtection ratingIP68 (dust and immersion)Cross-section3x2.5 mm²Dimensions98 x 98 x 23 mmMaterialNylon (body), copper (contacts)Connection typeThreaded screwColourBlack Advantages

- **IP68 sealing:** resists dust and immersion.
- **X branch:** up to four directions.
- **Compact format:** 98x98x23 mm, ideal in tight spaces.
- **Nylon and copper:** sturdy and conductive.
- **Threaded screw:** hermetic, safe closure.

Recommended applications ?**Outdoor installations** — waterproof branches.?**Gardens and terraces** — exposed connections.?**Pool and fountain lighting** — wet environments.?**Tight spaces** — compact format. Installation guide 1**Switch off the power**
Cut the supply before any connection.2**Prepare the cables**
Strip the wires (3x2.5 mm²) to the recommended length.3**Connect in a cross**
Insert the cables into the four inlets, observing the conductors.4**Close hermetically**

Tighten the threaded screw to ensure IP68 sealing, then restore power. Frequently asked questions **What is its protection rating?**

IP68: resistant to dust and water immersion. **What cable cross-section does it take?**

3x2.5 mm². **Is it suitable for outdoors?**
Yes, its IP68 design makes it ideal for outdoors and wet environments. ?

IP68
Submersible?

X-shaped
4 directions?

Nylon + copper
Sturdy?

In stock
Fast shipping

Product gallery:






38 mm
22 mm
38 mm
38 mm
22 mm

