
T-connector for surface-mounted magnetic LED tracks

Product codes:

Reference: LM35-T

Product features:

Colour: Black
Material: Aluminum
Certification: CE - RoHS
Warranty: 3 años



Product attributes:

Colour: Black

Product description:

T Connector, T (3 directions) joint T Connector for Surface Magnetic Tracks Steel Joint T (3 directions)

The for surface magnetic tracks, in steel, lets you join the tracks in an attractive, discreet way. Includes the union plates and pressure screws needed for assembly. Accessory for the 48V magnetic track system.

? Rail magnétique? Acier? T? Vis incluses

T

JointSteel
Material48V
SystemSurface
Mounting

The **T connector** is a steel connecting piece for surface magnetic tracks, which lets you join two track sections **T (3 directions)**. It ensures a clean, discreet mechanical continuity of the light path, to create custom compositions on the ceiling or wall.

It includes the **union plates and pressure screws** needed for assembly. It is the ideal accessory for extending and configuring your 48V magnetic track system according to the shape of the room, in living rooms, kitchens, shops, showrooms and offices.

Why choose this product? **? T (3 directions) joint**
Joins two magnetic track sections, attractive. **? Steel, screws included**
Union plates and pressure screws for assembly. **? 48V system**
Extends and configures the surface magnetic track. Technical specifications Product typeT Connector for magnetic trackJoint shapeT (3 directions)MaterialSteelIncludedUnion plates and pressure screwsCompatibility48V surface magnetic tracksUseIndoor Advantages

- **T (3 directions) joint:** custom compositions.
- **Steel:** sturdy and discreet.
- **Screws included:** union plates for assembly.
- **48V system:** surface magnetic track.
- **Attractive:** path continuity.
- **Living rooms and shops:** flexible configuration.

Recommended applications ?**Track compositions** — custom shapes.?**Living rooms and kitchens** — light path.?**Shops and showrooms** — flexible configuration.?**Offices** — 48V system. Installation guide 1**Switch off the power**
Cut the supply before installation.2**Align the tracks**
Position the two track sections to be joined.3**Fix the joint**
Fit the T connector with the plates and screws.4**Check**
Check the alignment and stability of the joint. Frequently asked questions **What is this piece for?**
To join magnetic tracks T (3 directions). **Are the screws included?**
Yes, with the union plates needed for assembly. **Which system is it compatible with?**
With 48V surface magnetic tracks. ?

T
Steel?

48V
Surface?

Screws
Included?

In stock
Fast shipping

Product gallery:

