30W RGB Outdoor PRO LED Floodlight IP65

Product codes:

Reference: PL-F30WRGB



Product features:

Power (W): 30
Power source (V): 100-240V
Color temperature CCT: RGB
LED: COB
LED chip brand: EPISTAR
Dimmable: Control Remoto
Luminous angle: 120º
Frequency (Hz): 50-60Hz
Measures (mm): 241x201x60mm
Material: Aluminum + glass
Operating temperature: -20ºC ~ +40ºC
Energy efficiency 2021: A+
Certification: CE - RoHS
Warranty: 5 años

Product attributes:

Color temperature CCT (ºK): RGB

Product description:

PRO RGB floodlight 30W, multicolour, outdoor IP65 PRO Outdoor RGB LED Floodlight 30W IP65 Multicolour with Remote

The , multicolour, offers a wide variety of colours and effects, ideal for decorative lighting of large spaces. Controlled by , rating, resistant to rain and dust. Dimensions 241x201x60 mm.

? 30W? RGB? Télécommande? IP65

30W
PowerRGB
ColoursRemote
ControlIP65
Protection

The **30W PRO outdoor RGB LED floodlight** is a powerful decorative lighting solution, ideal for highlighting large outdoor spaces: facades, gardens, monuments, events and commercial areas. Its wide **RGB colour** palette lets you create dynamic, personalised atmospheres.

It is easily controlled by **remote**, to change colour and effect from a distance. With an **IP65** protection rating, it resists rain and dust, ensuring reliable outdoor operation. Sturdy and adjustable, it installs on walls, the ground or structures. Dimensions 241x201x60 mm.

Why choose this product? **? RGB multicolour**

Wide variety of colours and decorative effects. **? Remote**

Colour and effect change from a distance. **? IP65, 30W**

Outdoor, rain- and dust-resistant, sturdy. Technical specifications Product typePRO outdoor RGB LED floodlightPower30WColoursRGB (multicolour)ControlRemoteProtectionIP65UseOutdoor (facades, gardens, events)Dimensions241x201x60 mm Advantages

- **RGB multicolour:** wide variety of colours.
- **Remote:** colour and effect from a distance.
- **30W:** large outdoor spaces.
- **IP65:** rain and dust.
- **Sturdy and adjustable:** walls, ground, structures.
- **Facades and events:** highlighting.

Recommended applications ?**Facades and monuments** — RGB highlighting.?**Gardens and large spaces** — colour effects.?**Events and concerts** — dynamic atmospheres.?**Commercial areas** — IP65 outdoor. Installation guide 1**Switch off the power**
Cut the supply before installation.2**Fix the floodlight**
Aim and fix the floodlight (wall, ground or structure).3**Wire it**
Wire it to the 230V mains.4**Pair the remote**

Select the RGB colours and effects. Frequently asked questions **Can the colours be changed?**

Yes, multicolour RGB lighting by remote. **Is it suitable for outdoors?**

Yes, its IP65 rating resists rain and dust. **What spaces is it designed for?**
Large spaces: facades, gardens, monuments, events. ?

30W
RGB?

Remote
PRO?

IP65
Outdoor?

In stock
Fast shipping

Product gallery:


30W
IP65













