Surface Mounting Base for floodlight at single-phase rail

Product codes:

Reference: 2678

Product features:

Colour: White
Colour: Black
IP: IP20
Measures (mm): 188*56*20mm
Material: Thermoplastic
Certification: CE - RoHS
Warranty: 2 años



Product attributes:

Colour: White, Black

Product description:

Surface base for track spotlights Surface Base for Single-Phase Track Spotlight

Convert your into surface wall or ceiling lights. This discreet base (188x56x20 mm) in flame-retardant thermoplastic mounts to the ceiling with no visible screws, to recycle your track luminaires.

? Single-phase? Thermoplastic? Black / white? 188x56x20

Single-phase
Compatibility188x56x20
Dimensions (mm)Black / white

Colour

The **surface base for single-phase track spotlight** lets you easily convert your track spotlights into surface wall lights. Made from **flame-retardant thermoplastic** with a copper connection and available in black or white, it matches the colour of your spotlight.

At only **188x56x20 mm**, it stays completely discreet once installed on the ceiling. Assembly is extremely simple: dismantle the base, run the cable, connect to the mains and screw it to the ceiling; the trim cap clicks on with no visible screws. It supports any single-phase track spotlight with a connector up to 170 mm long.

Why choose this product? **? Recycle your spotlights**

Convert track spotlights into ceiling or wall lights. **? Discreet mounting**

No visible screws, clean ceiling finish. **? Black or white**

Matches the spotlight colour. Technical specifications Product typeSurface base for single-phase track spotlightCompatibilitySingle-phase track spotlights (connector up to 170 mm)MaterialFlame-retardant thermoplasticConnectionCopperColourBlack or whiteDimensions188 x 56 x 20 mm Advantages

- **Recycle your spotlights:** from track to ceiling or wall light.
- **Discreet mounting:** no visible screws.
- **Flame-retardant thermoplastic:** safety and durability.
- **Compact format:** 188x56x20 mm, discreet on the ceiling.
- **Black or white:** to match the spotlight.

Recommended applications ?**Ceilings** — converting track spotlights into ceiling lights.?**Walls** — adjustable wall lights.?**Shops and showrooms** — reusing luminaires.?**Renovations** — without installing track. Installation guide 1**Switch off the power**
Cut the supply before installation.2**Dismantle the base**
Dismantle the base and run the power cable.3**Connect and screw**
Connect to the mains and screw the base to the ceiling.4**Mount the spotlight**

Click on the trim cap and install the single-phase track spotlight. Frequently asked questions **What is this base for?**

To convert a single-phase track spotlight into a surface wall or ceiling light. **Which spotlights does it accept?**

Any single-phase track spotlight with a connector up to 170 mm long. **Are there visible screws?**
No, the trim cap clicks on with no visible screws. ?

Single-phase
Recycling?

Discreet
No visible screws?

Black / white
Choice?

In stock
Fast shipping

Product gallery:




56 mm
188 mm
20 mm







