

15W Selectable CCT Circular Tilting PRO LED Spot BridgeLUX/LIFUD 1950Lm

Product codes:

Reference: PL-DLPRO15W



Product features:

Power (W): 15
 Power source (V): 220-240V
 Color temperature CCT: Seleccionable
 3000K-4000K-6000K
 LED: COB
 LED chip brand: BRIDGELUX
 Brightness (Lm): 1950
 CRI: +85
 Colour: White
 IP: IP20
 Luminous angle: 36°
 Frequency (Hz): 50-60Hz
 Power factor: 0.50
 Measures (mm): Ø108x88mm
 Medida de corte (mm.): Ø90mm
 Material: Aluminum + PC
 Driver: LIFUD, Flicker-free
 Operating temperature: -20°C ~ +40°C
 Energy efficiency 2021: A+
 Energy efficiency 2023: D
 Lifespan: 30.000h
 Certification: CE - RoHS
 Warranty: 5 años

Product attributes:

Dimming system: No dimming (On/Off), TRIAC, DALI

Product description:

15W PRO Circular Recessed Adjustable LED Downlight This **15W PRO circular recessed LED downlight** offers a modern and efficient design, ideal for high-quality indoor lighting. With its ability to tilt up to 45° and a 36° light optic, this spotlight provides precise and concentrated illumination.

Made from aluminum and PC, equipped with a BridgeLUX LED chip and an external LIFUD flicker-free driver, it ensures stable and low-consumption lighting. Its design and materials make it durable and aesthetically pleasing, suitable for multiple spaces such as homes, offices, and stores.

Technical Specifications

- **Power:** 15W
- **LED Chip:** BridgeLUX
- **Luminous Flux:** 1950 lumens
- **Light Optic:** 36°
- **Adjustable:** Up to 45°

- **Material:** Aluminum and PC
- **Color:** White
- **IP Rating:** IP20
- **Dimensions:** Ø108x88mm
- **Cut-out Dimensions:** Ø90mm
- **Driver:** External LIFUD without flicker
- **Warranty:** 5 years

Installation Instructions

Installing this LED downlight is straightforward thanks to its external driver and connection system:

1. Mark and cut an opening in the ceiling with a diameter of Ø90mm.
2. Connect the external driver to the power supply, ensuring the power is turned off.
3. Insert the downlight into the opening, adjusting its orientation to achieve the desired angle.
4. Turn on the power and verify the downlight's operation.

Recommended Applications

Thanks to its compact and versatile design, this LED downlight is perfect for a wide variety of applications such as:

- Decorative and functional lighting in homes and offices.
- Reception areas and corridors.
- Showcases and exhibition areas in stores.
- Focused lighting in museums and galleries.

Product gallery:



