RF Dimmer Controller 12/24V for Selectable Color CCT LED Strip

Product codes:

Reference: KITRFCCT

Product features:

Power (W): 288W(24Vdc)
Power source (V): 12/24V-DC
Color temperature CCT: Graduable 3000K hasta 6000K
Colour: Black
IP: IP20
Measures (mm): 79x83x33mm
Material: Aluminum + PC
Operating temperature: -20ºC ~ +40ºC
Lifespan: 25.000h
Certification: CE - RoHS
Warranty: 3 años



Product attributes:

Product description:

RF CCT controller 12/24V, touch remote, 12A RF Dimmer Controller 12/24V for CCT LED Strip Touch Remote 12A

The for LED strip (12/24V DC) lets you adjust the . Maximum load 12A (144W at 12V / 288W at 24V), touch RF remote included.

? CCT? RF tactile? 12A? 12/24V

CCT
LED strip12/24V
Voltage12A
Max loadRF

Remote

The **dimmer controller for CCT LED strip** (12/24V DC) lets you easily set the **colour temperature** (from warm white to cool white) and the **light intensity** of your selectable-colour LED strips. It supports a maximum load of **12A** (144W at 12V, 288W at 24V).

It includes a **touch RF remote** that lets you control the lighting remotely, even through walls, with no need for direct line of sight. Compact and easy to install between the power supply and the strip, it is the ideal accessory for creating custom atmospheres in living rooms, bedrooms, furniture and luminous cornices.

Why choose this product? **? CCT strip**

Adjusts temperature (warm/cool) and intensity. **? Touch RF remote**

Remote control, even through walls. **? 12A, 12/24V**

144W (12V) / 288W (24V), easy to install. Technical specifications Product typeRF dimmer controller for CCT stripCompatibilityCCT LED stripsVoltage12/24V DCMax. load12A (144W/12V, 288W/24V)ControlTouch RF remoteUseLED strips, indoor Advantages

- **CCT strip:** temperature and intensity.
- **Touch RF:** remotely.
- **12A:** 144W/288W.
- **12/24V:** compact.
- **Through walls:** no line of sight.
- **Atmospheres:** living rooms and furniture.

Recommended applications ?**CCT LED strips** — temperature setting.?**Living rooms and bedrooms** — atmospheres.?**Furniture and cornices** — RF remote.?**12/24V installations** — 12A. Installation guide 1**Switch off the power**
Cut the supply before wiring.2**Insert the controller**
Connect it between the power supply and the CCT strip.3**Pair the remote**
Associate the touch RF remote.4**Adjust**

Set the temperature and intensity remotely. Frequently asked questions **Which strips does it drive?**

CCT LED strips (selectable light colour). **What load does it support?**

12A maximum (144W at 12V, 288W at 24V). **How is it controlled?**
By touch RF remote, even through walls. ?

CCT
12/24V?

RF
Touch?

12A
288W?

In stock
Fast shipping

Product gallery:




Input
LED Dimmer
Output
DC+
DC-
① Working voltage:
12V/24VDC
② 6A/CH 18A MAX.
③ Remote Control
V+
V-
V-
V-
Receiver
Power