LED Spot single-phase track black 30W BridgeLux CCT Selectable 3900Lm blanc

Product codes:

Reference: 90781



Product features:

Power (W): 30
Power source (V): 175-260V
Color temperature CCT: Seleccionable 3000K-4000K-6000K
LED: COB
LED chip brand: BRIDGELUX
Luminous efficacy (Lm/W): 130
Brightness (Lm): 3900
Color rendering index (Ra):: ?92
Colour: Black
IP: IP20
Luminous angle: 0.92
Frequency (Hz): 50-60Hz
Power factor ?: 0.92
Measures (mm): 190x180x88mm
Material: Aluminum + PMMA
Driver: No flicker
Operating temperature: -20ºC ~ +55ºC
Energy efficiency 2021: A+
Energy efficiency 2023: E
Lifespan: 30.000h
Certification: CE - RoHS
Warranty: 3 años

Product attributes:

Color temperature CCT (ºK): Selectable CCT (3000K-4000K-6000K)

Product description:

LED Spot single-phase track black 30W BridgeLux CCT Selectable 3900Lm blanc

LED Spot for mounting on single-phase rail, of a consumption of 30W and of a luminous flux of 3900 lumens. The floodlight on track LED single-phase is equipped of a LED chip BridgeLUX high brightness and efficiency, with a CRI>92, faisant ressortir of the colours vives conformes at the reality. Son opening angle of 48º is perfect for lighting general and for mettre in valeur of the zones specifics.

The driver anti-scintillement integrated prevents the scintillement of the light, offering a lighting intense and uniform.

The LED spotlight se monte easyment on a single-phase track universel and is entirely adjustable. It is made in lacquered aluminium black high-quality and in PMMA.

Dimensions: 190x180x88mm Garantie 3 ans

Technical specifications Operating voltage220-240V ACProtection classIP20CertificationsCE Recommended applications ?Commercial and residential LED installations?Decorative and functional lighting?Indoor and outdoor lighting projects Installation guide

Install according to the supplied instructions. Always switch off power before installation. Follow all applicable electrical safety regulations.

?

Certified product

CE?

In stock


Fast shipping


Product gallery:



















3000K
4000K
5700K
CCT - 3 COLORS
CRI
>90
bridgelux
bridgelux