
18W 1800Lm LED Downlight cut-out Ø200/205mm

Product codes:

Reference: DLEM18



Product features:

Power (W): 18
Power source (V): 220-240V
Color temperature CCT: 4000K
Color temperature CCT: 6500K
LED: SMD2835
Brightness (Lm): 1800
Color rendering index (Ra):: ?80
Colour: White
IP: IP20
Frequency (Hz): 50-60Hz
Forma: Redondo
Measures (mm): Ø220x10mm
Medida de corte (mm.): Ø205mm
Material: Aluminum + PC
Operating temperature: -20ºC ~ +40ºC
Lifespan: 25.000h
Certification: CE - RoHS
Warranty: 3 años

Product attributes:

Color temperature CCT (ºK): Natural white 4000K, Cool white 6500K

Product description:

Slim Recessed Round LED Downlight 18W 1800Lm Cut-Out Ø200/205mm

The slim recessed round LED downlight 18W is the ideal solution for those looking for powerful, uniform and discreet indoor LED lighting . Thanks to its ultra-slim design , it fits easily into plasterboard ceilings and other false ceilings, providing a modern and neat finish in any space.

18W1800 lumensIP204000K / 6500K

18W

Power1800 lumens
Luminous fluxIP20
Protection120º
Beam angle

With a power of 18W and a luminous flux of 1800 lumens , this round LED downlight delivers clear and uniform light, perfect for residential or professional projects. Its 120º beam angle allows for wide light distribution, while its CRI above 80 promotes natural color rendering.

Equipped with a high-brightness SMD2835 LED chip , made of aluminum + PC , and supplied with an external driver included , this fitting is designed for IP20 indoor use . It is available in 4000K neutral white and 6500K cool white .

Why choose this product? **High brightness**

1800 lumens for efficient indoor lighting. **Ultra-slim profileee**

only 10 mm thick. **Wide light distribution**

120º angle for uniform lighting. Technical specifications Product typeSlim recessed round LED downlightPower18WLuminous flux1800 lumensLED chipHigh-brightness SMD2835Beam angle120ºColor temperature4000K / 6500KOuter diameter220 mmRequired cut-outØ200/205 mmThickness10 mmMaterialAluminum + PCDriverExternal includedProtection ratingIP20UseIndoor only Recommended applications ?Home: living rooms, kitchens, hallways, bedrooms and passage areas.?Offices: uniform and comfortable general lighting.?Retail: circulation areas, halls, sales spaces and shop windows.?Professional premises: reception areas, waiting rooms and modern indoor environments. Advantages

- ? High brightness: 1800 lumens for efficient indoor lighting.
- ? Ultra-slim profileee: only 10 mm thick.
- ? Wide light distribution: 120º angle for uniform lighting.
- ? Good color rendering: CRI above 80.
- ? Easy installation: external driver included.
- ? Available in two shades: 4000K and 6500K.

Installation guide

Installing this 18W recessed round LED downlight is simple and quick: ? Tip: To ensure a safe and compliant installation, contact a professional if needed.

Frequently asked questions **Is it suitable for outdoor use?**

With a IP20 rating, it is protected against dust and water according to its classification. **What colour temperature does it offer?**

Colour temperature: 4000K / 6500K. ?

Certified product


CE?

In stock

Fast shipping

Product gallery:




220mm
205mm