Hippo RGB+CCT COB Strip-to-Strip Connector PCB 12mm - 6 pins - IP20 - Max. 24V

Product codes:

Reference: MN20-B12C-6P



Product features:

Power source (V): 12/24V-DC
Color temperature CCT: RGB+CCT
LED: COB
IP: IP20
Measures (mm): 16x14mm
Material: PC
Operating temperature: -20ºC ~ +40ºC
Certification: CE - RoHS
Warranty: 3 años

Product attributes:

Product description:

Hippo RGB+CCT COB Strip-to-Strip Connector PCB 12mm - 6 pins - IP20 - Max. 24V

The Hippo RGB+CCT COB strip-to-strip connector is a quick connection accessory designed to easily join two RGB+CCT COB LED strips without soldering. Compatible with strips featuring a 12 mm PCB and equipped with 6 pins , it is a practical, compact and reliable solution for indoor LED installations that require a clean and professional finish.

IP20

IP20
ProtectionJusqu’à 24V DC
Voltage

Thanks to its quick-closing system, this Hippo LED connector allows you to connect two strips in just a few seconds: simply insert the strip ends into the connector terminals and then close the covers until you hear a click. Its compact design also allows easy integration into aluminum profileees , grooves, furniture and other reduced spaces.

Made of polycarbonate , this connector is designed for IP20 indoor use and supports a maximum current of 3.5A with a voltage of up to 24V DC . It is an essential accessory for RGB+CCT LED lighting projects in residential and decorative environments.

Why choose this product? **Quick assembly**
simple connection by pressing and closing. **Solderless**
cleaner and easier installation. **Mini format**
perfect for reduced spaces. Technical specifications Product typeQuick strip-to-strip connectorModelHippo RGB+CCT COBApplicationConnection of two LED stripsCompatible strip typeRGB+CCT COB LED stripPCB width12 mmNumber of pins6Compatible strip thickness0.25 ~ 0.35 mmInput voltageUp to 24V DCMaximum current3.5AProtection ratingIP20Dimensions15,6 x 13,7 x 4,3 mmMaterialPolycarbonateCompatible technologyCOBCertificatesCE - RoHSWarranty3 years according to legal warranty Recommended applications ?Decorative LED strips: clean connection of RGB+CCT COB strips in residential projects.?Aluminum profileees: ideal for installations in narrow LED profileees.?Furniture and fittings: perfect for grooves, niches, furniture and display cabinets.?Repairs and exvoltages: a practical solution to extend or reconnect strips without soldering. Advantages

- ? Quick assembly: simple connection by pressing and closing.
- ? Solderless: cleaner and easier installation.
- ? Mini format: perfect for reduced spaces.
- ? Compatible with RGB+CCT COB: specially designed for 12 mm 6-pin strips.
- ? Good resistance: polycarbonate body.
- ? Indoor use: ideal for IP20 LED projects.

Installation guide

Installing this Hippo strip-to-strip connector is simple and quick: ? Tip: To ensure a reliable connection, use this connector only with 12 mm IP20 RGB+CCT COB LED strips and respect the polarity as well as the maximum installation voltage.

Frequently asked questions **Is it suitable for outdoor use?**
With a IP20 rating, it is protected against dust and water according to its classification. **What is the warranty?**
This product comes with a 3 ans selon garantie légale warranty. ?
Warranty 3 ans selon garantie légale
?
Certified product
CE?
In stock
Fast shipping

Product gallery:


15.6MM
14MM