Reinforced Three-Phase Rail for LED spotlights - 1 metre

Product codes:

Reference: CT8065

Product features:

Colour: White
Colour: Black
IP: IP20
Material: Aluminum
Certification: CE - RoHS
Warranty: 3 años



Product attributes:

Colour: White, Black

Product description:

Three-phase track for track spotlights Reinforced Three-Phase Track for LED Spotlights - 1 m

A in aluminium, 1 metre long (32x36 mm section), for your LED spotlights. A stable, safe base, supplied with a starter feed and end cap: perfect for multi-circuit installations.

? 1 m? Three-phase? Aluminium? 32x36 mm

1 m
LengthThree-phase
Type32x36 mm

SectionAluminium
Material

The **reinforced 1-metre aluminium three-phase track** is a sturdy, durable solution for LED track lighting. Made from high-quality aluminium, it provides a stable, safe base for installing three-phase LED spotlights in a variety of environments.

With a **32x36 mm section**, it includes a **starter feed** and an **end cap** for easy installation and a professional finish. Its design allows it to be easily cut to size with a metal saw, making it highly adaptable to different spaces and multi-circuit configurations.

Why choose this product? **? Three-phase track**
Several independent circuits on one line. **? Reinforced aluminium**
Stable, sturdy and durable base. **? Cut to size**
Easily cut with a metal saw. Technical specifications Product typeThree-phase track for LED spotlightsLength1 mTypeThree-phaseSection32x36 mmMaterialReinforced aluminiumCompatibilityThree-phase LED track spotlightsIncludedStarter feed and end cap Advantages

- **Three-phase track:** several independent circuits.
- **Reinforced aluminium:** stable, durable base.
- **Cut to size:** with a metal saw.
- **Complete kit:** starter feed and end cap included.
- **Adaptable:** for various spaces and configurations.

Recommended applications ?**Shops and stores** — multi-circuit track lighting.?**Museums and galleries** — highlighting artworks.?**Showrooms and windows** — flexible lighting.?**Professional spaces** — three-phase installations. Installation guide 1**Switch off the power**
Cut the supply before installation.2**Fix the track**
Fix the track to the ceiling or surface; cut it to length if needed.3**Connect the feed**
Connect the starter feed and fit the end cap.4**Install the spotlights**
Clip the three-phase LED spotlights onto the track. Frequently asked questions **What is its section?**
32x36 mm, in reinforced aluminium. **Which spotlights is it compatible with?**
With three-phase LED track spotlights. **Can it be cut?**
Yes, it is easily cut with a metal saw. ?

Three-phase
Multi-circuit?

Aluminium
Reinforced?

1 m
32x36 mm?

In stock
Fast shipping


Product gallery:






INCLUDED
1000 mm





35.2mm
32.5 mm
35.3mm
L1
L2
L3
N
14.8mm
31.5mm




INCLUDED
1000 mm




1-Remove
2-Open
3-Connect
4-Close