BREMEN 8W IP44 LED Wall Light 500Lm

Product codes:

Reference: AP2003



Product features:

Power (W): 8
Power source (V): 220-240V
Color temperature CCT: 4000K
Luminous efficacy (Lm/W): 65
LED diode efficiency (Lm/W): 100
Brightness (Lm): 500
Color rendering index (Ra):: ?80
IP: IP44
IK: IK08
Frequency (Hz): 50-60Hz
Power factor ?: 0,91
Measures (mm): Ø75x250mm
Material: Steel + PC
Operating temperature: -20ºC ~ +55ºC
Energy efficiency 2021: A+
Lifespan: 30.000
Certification: CE - RoHS
Warranty: 2 años

Product attributes:

Product description:

Integrated outdoor LED wall light BREMEN LED Wall Light 8W IP44 500 lm

The with a tubular design delivers 500 lumens using just 8W. SAMSUNG LED, aluminium and black PC body, protection: modern, welcoming outdoor lighting for facades, terraces and entrances.

? 8W? 500 lm? IP44? Outdoor

8W
Power500 lm

Luminous fluxIP44
Protection

The **BREMEN LED wall light** is a modern, elegant outdoor lighting solution with a tubular design. With a power of **8W** and a luminous flux of **500 lumens**, it creates a welcoming atmosphere for your facades, terraces, patios and entrances.

Fitted with a high-brightness **SAMSUNG SMD2835 LED chip** and made from black **aluminium and PC**, it offers strength and durability. Its **IP44** protection makes it suited to outdoors, and its **Ø75 x 250 mm** dimensions, with all mounting accessories included, ensure quick, easy installation.

Why choose this product? **? SAMSUNG LED 8W**

500 efficient lumens for quality outdoor lighting. **? IP44 protection**

Suited to facades, terraces and outdoor entrances. **? Aluminium and black PC**
Sturdy, durable tubular design. Technical specifications Product typeOutdoor LED wall lightModelBREMENPower8WLuminous flux500 lmLED chipSAMSUNG SMD2835MaterialAluminium and PCColourBlackDesignTubularProtectionIP44DimensionsØ75 x 250 mm Advantages

- **SAMSUNG LED:** 500 lumens at 8W.
- **IP44:** suited to outdoors.
- **Aluminium and black PC:** sturdy tubular design.
- **Accessories included:** quick, easy installation.
- **Ambient lighting:** warm and modern.

Recommended applications ?**Terraces and patios** — welcoming outdoor atmosphere.?**Facades and entrances** — elegant, reassuring lighting.?**Gardens** — decorative, functional touch.?**Balconies** — evening ambient lighting. Installation guide 1**Switch off the power**
Cut the supply before installation.2**Fix the wall light**
Fix the wall light using the included accessories.3**Make the connection**
Wire the wall light to the mains as per electrical regulations.4**Check**

Restore power and check operation. Frequently asked questions **Is it suitable for outdoors?**

Yes, its IP44 protection makes it suited to facades, terraces and entrances. **What is its luminous flux?**

500 lumens, with 8W power and a SAMSUNG LED chip. **Are mounting accessories included?**
Yes, all necessary accessories are supplied. ?

IP44
Outdoor?

500 lm
SAMSUNG LED?

Alu + PC
Black?

In stock
Fast shipping

Product gallery:


SAMSUNG
LED CHIPS


Ø76
250


Flux out:13.96 lm
1m 5.081,9.6401x 200.00cm
2m 1.270,2.4101x 400.00cm
3m 0.5646,1.0711x 600.00cm
4m 0.3176,0.60251x 800.00cm
5m 0.2032,0.38561x 1000.00cm
6m 0.1411,0.26781x 1200.00cm
7m 0.1037,0.19671x 1400.00cm
8m 0.0794,0.15061x 1600.00cm
9m 0.0627,0.11901x 1800.00cm
10m 0.0508,0.09641x 2000.00cm
Height Eavg,Emax Angle:90.00deg Diameter
Note:The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.


-/+180
-150
150
-120
120
-90
90
-60
60
-30
30
0
16
32
48
64
80
UNIT:cd
C0/180,360.0
C90/270,360.0
AVERAGE BEAM ANGLE(50%):360.0 DEG




1
OFF
2
3
4
5
6
ON