3m URBAN Steel Column

Product codes:

Reference: 2121

Product features:

Measures (mm): Ø89mmH3000 mm
Material: Acero + Esmalte de Poliuretano
Certification: CE - RoHS
Warranty: 3 años



Product attributes:

Colour: Black, Grey, Forge Gray, Brown

Product description:

Sturdy column for public and decorative lighting URBAN Steel Column 3 m for Lanterns - Ø89 mm

The is a sturdy, elegant solution for installing outdoor lanterns and luminaires. Made from circular steel tube, with a Ø60 mm pointed end or 3/4" couplings, in RAL 9005 black and customisable.

? Ø89 mm? 3 m? Acier? RAL 9005

3 m

HeightØ89 x 3 mm
Steel tubeØ60 mm
TipRAL 9005
Black

The **3-metre circular steel URBAN column** is a sturdy, elegant solution for installing outdoor lanterns and luminaires in public, residential or decorative lighting projects. Made from Ø89 x 3 mm circular steel tube, it offers excellent mechanical strength and an attractive finish suited to urban and landscaped settings.

It features a **Ø60 mm pointed end or 3/4" couplings** for fixing lanterns, ensuring great versatility depending on the luminaire. Its 3-metre height makes it ideal for pedestrian areas, gardens, parks, squares and walkways. Available from stock in RAL 9005 black, it can also be painted in the desired colour. Manufacturing and shipping lead time: 25 to 30 days.

Why choose this product? **? Sturdy structure**

Ø89 x 3 mm circular steel tube, strong and durable. **? Lantern-compatible**

Ø60 mm tip or 3/4" couplings depending on the fixing. **? Customisable finish**
RAL 9005 black in stock, paintable on request. Technical specifications Product typeColumn for lanternMaterialSteelTube formatCircular tube Ø89 x 3 mmHeight3 metresLuminaire fixingØ60 mm pointed end or 3/4" couplingsColourRAL 9005 black (in stock)CustomisationPaintable in the desired colourManufacturing lead time25 to 30 daysUseOutdoor Advantages

- **Sturdy structure:** Ø89 x 3 mm circular steel.
- **3-metre height:** ideal for outdoor spaces.
- **Lantern-compatible:** Ø60 mm tip or 3/4" couplings.
- **Customisable finish:** RAL 9005 black or colour of choice.
- **Outdoor durability:** designed for urban lighting.

Recommended applications ?**Pedestrian areas** — residential street lighting.?**Gardens and parks** — outdoor decorative lighting.?**Squares and walkways** — lantern supports.?**Accesses and entrances** — pathway lighting. Installation guide 1**Prepare the base**
Prepare a concrete foundation with suitable anchor bolts.2**Erect the column**
Fix the column to the base and check it is plumb.3**Fit the lantern**
Install the lantern on the Ø60 mm tip or 3/4" couplings.4**Wire it**

Route the cabling inside and connect the luminaire. Frequently asked questions **What is the tube diameter?**

A Ø89 x 3 mm circular steel tube. **How is the lantern fixed?**

On the Ø60 mm pointed end or via 3/4" couplings. **Can the colour be chosen?**

Yes, it is in stock in RAL 9005 black and paintable on request. **What is the lead time?**
From 25 to 30 days. ?


Steel
Ø89 x 3 mm?

3 m
Ø60 mm tip?

RAL 9005
Customisable?

Manufacturing
25-30 days

Product gallery:


Ø89mm
3m.
200x200mm


¾"
26mm
Ø89mm