TUBE Profile for LED strips with pendant kit - 2 meters

Product codes:

Reference: IL-2835

Product features:

Colour: Plata
IP: IP20
Measures (mm): Ø30x2000mm
Material: Aluminum + PC
Certification: CE - RoHS
Warranty: 3 años



Product attributes:

Product description:

Suspended tubular profile for LED strip Aluminium TUBE Profile Ø30 mm for LED Strip with Suspension - 2 m

A 2-metre to create suspended linear lighting with your LED strip. Supplied with an opal diffuser and a 2 m steel-cable suspension kit, for a modern decorative effect in shops and offices.

? Ø30 mm? 2 m? Suspendu? IP20

Ø30 mm
Diameter2 m
LengthSuspended
MountingIP20

Indoor

The 2-metre **Ø30 mm aluminium TUBE profile** lets you create suspended, decorative, modern linear lighting with your LED strip. Its tubular shape and opal diffuser provide even 360º light, ideal for shops, offices and architectural projects.

The **complete kit** includes the Ø30 x 2000 mm profile, an opal diffuser, 2 grey plastic end caps with a hole and 2 suspension kits with a 2-metre steel cable. It accepts an LED strip up to 16 mm wide, and its IP20 protection is intended for indoor use.

Why choose this product? **? Suspended lighting**

Decorative, modern linear effect with a 2 m steel cable. **? Opal diffuser**

Even 360º light with no hotspots. **? Complete kit**

Profile, diffuser, end caps and suspension included. Technical specifications Product typeSuspended tubular aluminium profileDiameterØ30 mmLength2 m (2000 mm)Max LED strip width16 mmMaterialAluminium + PCColourGrey aluminiumInstallationSuspended (2 m steel cable)ProtectionIP20Included accessoriesOpal diffuser, 2 end caps, 2 suspension kits Advantages

- **Suspended lighting:** decorative, modern linear effect.
- **Opal diffuser:** even 360º light.
- **Complete kit:** diffuser, end caps and suspension included.
- **Strip up to 16 mm:** compatible with many strips.
- **2 metres:** for long linear runs.

Recommended applications ?**Shops and offices** — suspended linear lighting.?**Architectural projects** — modern decorative effect.?**Halls and receptions** — continuous light.?**Restaurants** — refined atmosphere. Installation guide 1**Cut and prepare**
Cut the profile to length and insert the LED strip (?16 mm).2**Fit the diffuser**
Clip on the opal diffuser and fit the end caps.3**Suspend**
Fix the suspension kits to the ceiling and set the cable height.4**Wire it**

Wire the LED strip and check the lighting. Frequently asked questions **What strip width does it accept?**

An LED strip up to 16 mm wide. **Is the suspension kit included?**

Yes, 2 suspension kits with a 2 m steel cable are supplied. **Is it suitable for outdoors?**
No, it is intended for indoor use (IP20). ?

Suspended
2 m steel cable?

Ø30 mm
Opal diffuser?

Complete kit
Aluminium?

In stock
Fast shipping

Product gallery:










