

30W Selectable CCT recessed LED Downlight OSRAM chip 3000Lm

Product codes:

Reference: PLR30WOSR-3CCT



Product features:

Power (W): 30
 Power source (V): 220-240V
 Color temperature CCT: Seleccionable
 3000K-4000K-6000K
 LED: SMD2835
 LED chip brand: OSRAM
 Luminous efficacy (Lm/W): 100
 Brightness (Lm): 3000
 CRI: +80
 Colour: White
 IP: IP20
 Luminous angle: 120°
 Frequency (Hz): 50-60Hz
 Forma: Redondo
 Measures (mm): Ø300x20mm
 Medida de corte (mm.): Ø280mm
 Material: Aluminum + PC
 Operating temperature: -20°C ~ +55°C
 Energy efficiency 2021: A+
 Energy efficiency 2023: F
 Lifespan: 40.000h
 Certification: CE - RoHS
 Warranty: 3 años

Product attributes:

Color temperature CCT (°K): Selectable CCT (3000K-4000K-6000K)

Product description:

Slim Selectable CCT LED Downlight 30W - OSRAM SMD2835 Chip The **Round LED Downlight** with **OSRAM SMD2835 Chip** and 30W power is the ideal choice for those seeking efficient and durable lighting, both for personal and professional use. With a 120° beam angle, it's perfect for illuminating all types of **commercial establishments**, offices, homes, and more.

Made of aluminum, this downlight stands out for its **great durability** and resistance. Additionally, its modern and attractive design allows it to integrate elegantly into any environment, offering a high level of color rendering with a CRI>80, ensuring excellent light quality. The luminous flux is 3000 lumens, providing powerful and uniform light.

Technical Specifications

- **Power:** 30W
- **LED Chip:** OSRAM SMD2835
- **Luminous Flux:** 3000 lumens
- **Beam Angle:** 120°
- **Material:** Aluminum
- **Dimensions:** Ø300x20mm

- **Cutout Dimensions:** Ø280mm
- **CRI:** >80
- **CCT Color Temperature:** Selectable between 3000K, 4000K, and 6000K via the selector integrated into the driver

Advantages of the Slim LED Downlight

All **Slim LED Downlights** have instant-on, allowing you to enjoy their lighting from the very first moment. The ultra-thin design of this type of panel makes it easy to install on shallow surfaces, and it also incorporates fixing tabs that save time during installation.

With this downlight, you will get **durable, eco-friendly, and high-quality lighting**. It is available in three color temperature options to meet your specific needs:

- **Warm White 3000K:** Creates a cozy and relaxing atmosphere.
- **Natural White 4000K:** Provides neutral light, ideal for daily tasks.
- **Cool White 6000K:** Offers bright and energizing illumination, perfect for workspaces.

Get your **Slim LED Round Downlight 30W** easily through our online store and start enjoying its many benefits.

Uses of the Slim LED Round Downlight 30W OSRAM Chip

- **Leisure Centers:** Ideal for creating pleasant and welcoming environments.
- **Stores:** Improves product visibility and attracts customers.
- **Shopping Centers:** Perfect for uniformly lighting large areas.
- **Hotels:** Adds elegance and energy efficiency to common areas and rooms.
- **Restaurants:** Creates a warm and inviting atmosphere for diners.
- **Home:** Ideal for any room in the house, providing high-quality light.

Product gallery:



www.osram-os.com

GWM JTLRSA.EM

DURIS® E 2835

The DURIS® E 2835 combines good efficacy and a wide beam angle into a compact format (2.8 mm x 3.5 mm). This is key to homogeneous illumination applications where the DURIS® E 2835 never fails to impress with its performance on system level.



OSRAM
LEDs
Included

Ø300mm



Cut:280mm

Slim



CRi>70
Ra

Chromaticity, Reproduction Index
Farbwiedergabeindex
Índice de Reproducción Cromática
Rendix de Rendix Cromatic
Índice de rendu des couleurs
Índice di resa cromatica

