60º Aluminum Reflector for 100W and 150W LED Slim PRO High Bay

Product codes:

Reference: CV-HB100W-150W-ENDUR-UND

Product features:

Colour: Black
Luminous angle: 60º
Measures (mm): Ø370x130mm
Material: Aluminum
Warranty: 5 años



Product attributes:

Product description:

60º concentrating reflector, front mounting Aluminium Reflector 60º for Slim PRO LED Highbay 100W / 150W

The for 100W and 150W Slim PRO LED highbays concentrates the beam to to improve efficiency and reach. Matte-black exterior, reflective silver interior, quick front mounting on the highbay.

? 60º? Aluminium? Frontal? Slim PRO

60º
AngleAluminium
MaterialMatte black
ExteriorSilver

Interior

The **aluminium reflector for 100W and 150W Slim PRO LED highbays** is an essential accessory to optimise lighting in industrial and professional environments. Designed for easy front mounting on the highbay, it **concentrates the beam to 60º**, improving the efficiency and reach of the emitted light.

Made of **high-quality aluminium**, it ensures durability and strength. Its refined design combines a matte-black exterior and a reflective silver interior to maximise light output. Compatible with 100W and 150W Slim PRO LED highbays, it installs quickly and easily, perfect for directing light where needed at great heights.

Why choose this product? **? 60º concentration**
Improves the beam's efficiency and reach. **? Durable aluminium**
Matte-black exterior, reflective silver interior. **? Front installation**
Quick and easy on 100/150W Slim PRO highbays. Technical specifications Product typeReflector for Slim PRO LED highbayCompatibility100W and 150W Slim PRO LED highbaysBeam angle60ºMaterialHigh-quality aluminiumExterior colourMatte blackInterior colourReflective silverInstallationFront (quick) Advantages

- **60º concentration:** improved efficiency and reach.
- **Aluminium:** durable and strong.
- **Matte black / silver:** maximised output.
- **Front installation:** quick and easy.
- **Slim PRO 100/150W compatible:** dedicated accessory.
- **Great heights:** directed light.

Recommended applications ?**Warehouses and factories** — concentrated lighting.?**High-ceiling areas** — improved reach.?**Industrial spaces** — optimised efficiency.?**Logistics** — directed light. Installation guide 1**Choose the highbay**
Check compatibility (Slim PRO 100W or 150W).2**Switch off the power**
Cut the supply before working.3**Fit the reflector**
Install the reflector on the front of the highbay.4**Check the beam**
Restore power and check the 60º concentration. Frequently asked questions **What is this reflector for?**
To concentrate the highbay's beam to 60º for more efficiency and reach. **Which highbays is it compatible with?**
With 100W and 150W Slim PRO LED highbays. **How is it installed?**
Quickly, on the front of the highbay. ?


60º
Aluminium?

Matte black
Silver?

Front
Slim PRO?

In stock
Fast shipping

Product gallery:




260mm
130mm
370mm





