LED Spot three-phase track 10W chip Bridgelux CRI+93 1000Lm chrome noire

Product codes:

Reference: TRBC10W



Product features:

Power source (V): 175-260V
Color temperature CCT: 3000K
Color temperature CCT: 4000K
LED: COB
LED chip brand: BRIDGELUX
Color rendering index (Ra):: ?93
Colour: White
IP: IP20
Frequency (Hz): 50-60Hz
Material: Aluminum + PMMA
Operating temperature: -20ºC ~ +55ºC
Energy efficiency 2021: A+
Lifespan: 35.000h
Certification: CE - RoHS
Warranty: 3 años

Product attributes:

Color temperature CCT (ºK): Natural white 4000K, Warm white 3000K

Product description:

High-CRI accent spot, 24º optic LED Spotlight Three-phase Track 10W Bridgelux Chip CRI > 93 24º 1000 lm - black chrome

The with a COB BridgeLUX chip delivers with a concentrated 24º optic and a for perfect colour rendering. Aluminium, black chrome finish, ideal for decorative projects.

? 10W? 1000 lm? CRI > 93? 24º

10W
Power1000 lm
Luminous flux24º
OpticCRI > 93
Colour rendering

The **Three-phase track LED spotlight**, with a 10W consumption, offers a luminous flux of 1000 lumens thanks to its high-performance COB BridgeLUX LED chip. Made of aluminium with an excellent black chrome finish, it is perfect for decorative installations and projects, both domestic and professional.

The BridgeLUX LED chip offers **high colour rendering (CRI > 93)**, which reproduces colours perfectly, essential for highlighting products and spaces. Its **concentrated 24º optic** focuses the beam for precise accent lighting, ideal for emphasising the elements to feature.

Why choose this product? **? CRI > 93, BridgeLUX**
Perfect colour rendering, precise highlighting. **? 24º optic**
Concentrated beam for accenting, 1000 lm. **? Aluminium, black chrome finish**
Ideal for decorative projects, Three-phase track. Technical specifications Product typeThree-phase track LED spotlightPower10WLuminous flux1000 lmLED chipCOB BridgeLUXCRI> 93Optic24º (concentrated)MaterialAluminiumFinishblack chromeUseIndoor Advantages

- **CRI > 93:** perfect colour rendering.
- **24º optic:** concentrated beam.
- **COB BridgeLUX:** 1000 lm at 10W.
- **black chrome finish:** quality aluminium.
- **Highlighting:** products and spaces.
- **Decorative projects:** domestic and professional.

Recommended applications ?**Shops and windows** — product highlighting.?**Galleries and museums** — artwork lighting (high CRI).?**Showrooms** — accent lighting.?**Hotels and restaurants** — refined atmosphere. Installation guide 1**Install the track**
Fix the Three-phase track to the ceiling or wall.2**Insert the spotlight**
Clip the spotlight onto the Three-phase track.3**Position it**
Slide and aim the spotlight along the track.4**Wire and check**
Connect the supply and check the lighting. Frequently asked questions **What is the colour rendering?**
CRI > 93, for perfect colour reproduction. **What is the optic?**
24º, a concentrated beam for accenting. **What type of track is needed?**
A Three-phase track. ?

10W
1000 lm?
CRI > 93
24º?
Black chrome
Three-phase?
In stock
Fast shipping

Product gallery:







bridgelux
CHIP INSIDE
Bridging Light and Life™







