Silicone Adhesive KAFUTER 705 45gr. for LED strip and electronic components

Product codes:

Reference: IL-3565

Product features:

IP: IP65
Material: Silicone
Certification: CE - RoHS
Warranty: 2 años



Product attributes:

Product description:

Neutral adhesive and sealing silicone IP65 KAFUTER 705 Silicone Glue 45 g Adhesive and Sealant for LED Strip and Electronics

The (45 g pot) is an
specially designed for fixing LED strips and electronic equipment.
alcohol-free silicone, moisture-resistant, from -55ºC to 160ºC. Sealed areas
acquire protection.

? 45 g? -55/160ºC? IP65? Neutre

45 g
Format-55/160ºC
ResistanceIP65
SealingNeutral
Silicone

The **KAFUTER 705 adhesive and sealing silicone** is specially designed for fixing LED strips and electronic equipment. KAFUTER silicone is **neutral**, alcohol-free, moisture-resistant and has a semi-rigid texture. It withstands temperatures from **-55ºC to 160ºC**.

Resistant to ageing and weather, it stays flexible and stable in the long term. Areas properly sealed with this silicone acquire **IP65 protection**, making it suitable for outdoor use or in damp environments. **45 g** pot, both adhesive and sealing.

Why choose this product? **? Adhesive and sealant**

Fixes and seals LED strips and electronic equipment. **? -55ºC to 160ºC**

Neutral, alcohol-free, resistant to moisture and ageing. **? IP65 protection**
Sealed areas suitable for outdoors and damp environments. Technical specifications Product typeKAFUTER 705 adhesive and sealing siliconeFormat45 g potTypeNeutral, alcohol-freeTextureSemi-rigidThermal resistance-55ºC to 160ºCSealingIP65 (sealed areas)UseLED strips and electronic components Advantages

- **Adhesive and sealant:** LED strips and electronics.
- **Neutral, alcohol-free:** moisture-resistant.
- **-55ºC to 160ºC:** wide thermal range.
- **IP65:** sealed areas for outdoors.
- **Semi-rigid:** flexible and stable.
- **45 g pot:** practical and durable.

Recommended applications ?**LED strips** — fixing and sealing.?**Electronic components** — protective sealing.?**Outdoor installations** — IP65 damp.?**Repairs** — durable adhesive. Installation guide 1**Clean the surface**
Clean and dry the area to be sealed.2**Apply the silicone**
Apply an even layer of KAFUTER silicone.3**Position the strip**
Place the LED strip or component on the silicone.4**Let dry**

Let it cure to achieve IP65 sealing. Frequently asked questions **What protection does it provide?**

Properly sealed areas acquire IP65 protection. **What temperature range does it withstand?**

From -55ºC to 160ºC. **Does it contain alcohol?**
No, it is a neutral, alcohol-free silicone. ?

45 g
KAFUTER 705?

-55/160ºC
IP65?

Neutral
Adhesive?

In stock
Fast shipping

Product gallery:


705
705 Transparent
IP65
Special Electronic Components